

fireblock[®]2010/c

STARKEM® has developed and certified a new intumescent paint **FIFEBLOCK**® 2010/**C**, tested in accordance with EN 13381-3, UNI EN 1363-1 and UNI EN 1364-1 standards.

fireblack 2010/c is a water based intumescent paint certified for the fire protection of reinforced concrete and prestressed reinforced concrete load-bearing structures and of non-load-bearing partition walls in blocks of brick and concrete.

fireblack 2010/c develops, in case of fire, a thermal insulating foam that guarantees an excellent adhesion to the painted profiles for the duration of the fire.











fireblock[®]2010/c

TEST OF FIRE RESISTANCE



BEFORE THE TEST



DURING THE TEST



AFTER THE TEST



fireblock°2010/c



STARKEM® STI PRODUCES FIRE RETARDANT VARNISHES AND INTUMESCENT PAINTS CERTIFIED FOLLOWING THE MOST STRICT METHODS FOR TESTING REQUIRED BY THE EUROPEAN REGULATIONS IN FORCE.

For more information, look at data sheet and safety data sheet of the product.

STARKEM® srl Working for your safety



Via Donatori di Sangue, 32 - Zona Industriale - 31029 Vittorio Veneto (TV) Telefono +39 0438 912693 - www.starkem.com - e-mail: info@starkem.com

